



Speedy Gasket

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 1/16/2018 Revision date: 5/30/2018 Supersedes: 3/20/2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Speedy Gasket
Product code : 69001
Article number : 69001

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category : Silicon sealant material

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV
Maxwellstraat 41
3316 GP Dordrecht - Nederland
T 0031 78 651 2322 - F 0031 78 617 4848
rjonker@bardahl.nl - www.bardahl.nl

1.4. Emergency telephone number

Emergency number : +31 (0) 6 2908 2010
During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 3 H229

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

The product is tested according to 92/69/EC and is not classified as irritating to skin and eyes.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : Warning
Hazard statements (CLP) : H229 - Pressurised container: May burst if heated.
Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P103 - Read label before use.

Speedy Gasket

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251 - Do not pierce or burn, even after use.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propyltriacetoxysilan	(CAS-No.) 17865-07-5 (EC-No.) 241-816-9 (REACH-no) 01-2119966899-07	1 - 2.5	Skin Corr. 1B, H314
Methyltriacetoxysilane	(CAS-No.) 4253-34-3 (EC-No.) 224-221-9 (REACH-no) 01-2119962266-32	1 - 2.5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
TETRAFLUOROPROPENE	(CAS-No.) 29118-24-9 (REACH-no) 01-0000019758-54	1 - 2.5	Press. Gas (Comp.), H280

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Assure fresh air breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact : If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact : Ensure adequate flushing of eyes by separating eyelids with the fingers. Get immediate medical advice/attention.
First-aid measures after ingestion : Seek medical advice (show the label where possible). Rinse mouth. Drink a maximum of 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Powder. Water. Alcohol resistant foam.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Nitrogen oxides. Carbon monoxide.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.
Protection during firefighting : Use self-contained breathing apparatus.
Other information : Ensure all national/local regulations are observed.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Not required.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

Speedy Gasket

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Use grounded electrical/mechanical equipment. Dispose in a safe manner in accordance with local/national regulations.

Other information : Ventilate area.

6.4. Reference to other sections

See Headings 7 and 8. See Heading 13. No dangerous substances are released.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Do not pierce or burn, even after use.

Precautions for safe handling : Ensure good ventilation of the work station. Do not expose to temperatures exceeding 50 °C/ 122 °F.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep in original containers. Government regulations on storing packagings with pressurized containers must be observed. Store in a dry, cool place. Do not store in the hallway or stairwell.

Incompatible products : acids. Oxidizer. Ignition sources.

Incompatible materials : heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Propyltriacetoxysilan (17865-07-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	12.11 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	85.39 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	6.05 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	21.06 mg/m ³
Long-term - systemic effects, dermal	6.05 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.02441 mg/l (Daphnia)
PNEC aqua (marine water)	0.002441 mg/l (Daphnia)
PNEC aqua (intermittent, freshwater)	10.55 mg/l (Daphnia)
PNEC (Sediment)	
PNEC sediment (freshwater)	0.001457 mg/kg dwt (Daphnia)
PNEC sediment (marine water)	0.01457 mg/kg dwt (Daphnia)
PNEC (Soil)	
PNEC soil	0.00336 mg/kg dwt (Daphnia)
Methyltriacetoxysilane (4253-34-3)	
DNEL/DMEL (Workers)	
Acute - systemic effects, dermal	14.5 mg/kg bodyweight/day
Acute - systemic effects, inhalation	25 mg/m ³
Acute - local effects, inhalation	31 mg/m ³
Long-term - systemic effects, dermal	14.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	25 mg/m ³
Long-term - local effects, inhalation	31 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, dermal	7.2 mg/kg bodyweight
Acute - systemic effects, inhalation	6.3 mg/m ³
Acute - systemic effects, oral	1 mg/kg bodyweight
Acute - local effects, inhalation	5.1 mg/m ³
Long-term - systemic effects, oral	1 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	5.1 mg/m ³
Long-term - systemic effects, dermal	7.2 mg/kg bodyweight/day

Speedy Gasket

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methyltriacetoxysilane (4253-34-3)	
Long-term - local effects, inhalation	6.3 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	1 mg/l (Daphnia)
PNEC aqua (marine water)	0.1 mg/l (Daphnia)
PNEC aqua (intermittent, freshwater)	10 mg/l (Daphnia)
PNEC (Sediment)	
PNEC sediment (freshwater)	0.34 mg/kg dwt (Daphnia)
PNEC sediment (marine water)	3.4 mg/kg dwt (Daphnia)
PNEC (Soil)	
PNEC soil	0.145 mg/kg dwt (Daphnia)

Additional information : The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace

8.2. Exposure controls

Hand protection:

Wear suitable gloves resistant to chemical penetration. Selection of the glove material on consideration of the penetration times, permeability and degradation. Refer to manufacturer's information.

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No special protection required where adequate ventilation is maintained. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust

Other information:

Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: According to product specification.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not self-igniting
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.02 g/cm ³ (20°C)
Solubility	: Practically not miscible. Organic solvent:0.0 %
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: No data available

Speedy Gasket

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No decomposition if used according to specifications.

10.3. Possibility of hazardous reactions

Pressurised container: May burst if heated.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Acute toxicity (dermal) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Acute toxicity (inhalation) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Methyltriacetoxysilane (4253-34-3)

LD50 oral rat	1600 mg/kg
Skin corrosion/irritation	: No irritant effect
Additional information	: Tested at rabbit
Serious eye damage/irritation	: No irritant effect
Additional information	: Tested at rabbit
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
STOT-single exposure	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Chronic aquatic toxicity : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

Speedy Gasket

Ecology - soil	Prevent entry to sewers and public waters.
----------------	--

12.5. Results of PBT and vPvB assessment

No additional information available

Speedy Gasket

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations






13.1. Waste treatment methods

Product/Packaging disposal recommendations : Prevent entry to sewers and public waters. Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code : 08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
 08 04 00 - wastes from MFSU of adhesives and sealants (including waterproofing products)
 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09
 16 00 00 - WASTES NOT OTHERWISE SPECIFIED IN THE LIST
 16 05 00 - gases in pressure containers and discarded chemicals
 16 05 04* - gases in pressure containers (including halons) containing dangerous substances
 15 00 00 - WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
 15 01 00 - packaging (including separately collected municipal packaging waste)
 15 01 04 - metallic packaging

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper shipping name				
AEROSOLS	AEROSOLS	Aerosols, non-flammable	AEROSOLS	AEROSOLS
Transport document description				
UN 1950 AEROSOLS, 2.2, (E)	UN 1950 AEROSOLS, 2.2	UN 1950 Aerosols, non-flammable, 2.2	UN 1950 AEROSOLS, 2.2	UN 1950 AEROSOLS, 2.2
14.3. Transport hazard class(es)				
2.2	2.2	2.2	2.2	2.2
				
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5A
 Special provisions (ADR) : 190, 327, 344, 625
 Limited quantities (ADR) : 11
 Excepted quantities (ADR) : E0
 Packing instructions (ADR) : P207, LP02
 Special packing provisions (ADR) : PP87, RR6, L2
 Mixed packing provisions (ADR) : MP9
 Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V14
 Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12
 Tunnel restriction code (ADR) : E

- Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Speedy Gasket

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None

- Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A985, A14, A167
ERG code (IATA)	: 2L

- Inland waterway transport

Classification code (ADN)	: 5A
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP
Ventilation (ADN)	: VE04
Number of blue cones/lights (ADN)	: 0

- Rail transport

Classification code (RID)	: 5A
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 20

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV	: Water hazard class (WGK) 1, low hazard to waters (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Speedy Gasket

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Netherlands

Water hazard class:	: 11 - Weinig schadelijk voor in het water levende organismen
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

15.2. Chemical safety assessment

No

SECTION 16: Other information

Abbreviations and acronyms:

Abbreviations and acronyms: RID: Regulations Concerning the International Transport of Dangerous Goods by Rail ICAO: International Civil Aviation Organization ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product