



# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 10/31/2019 Revision date: 10/31/2019 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : Diesel Anti Bacteria (DAB)  
Product code : 026  
Article number : 02600

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Professional use.  
Function or use category : Bactericide

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV  
Maxwellstraat 41  
3316 GP Dordrecht - Nederland  
T 0031 78 651 2322 - F 0031 78 617 4848  
[rjionker@bardahl.nl](mailto:rjionker@bardahl.nl) - [www.bardahl.nl](http://www.bardahl.nl)

#### 1.4. Emergency telephone number

Emergency number : +31 (0) 6 2908 2010  
During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Acute toxicity (dermal), Category 3 H311  
Acute toxicity (inhalation:dust,mist) Category 4 H332  
Skin corrosion/irritation, Category 1B H314  
Serious eye damage/eye irritation, Category 1 H318  
Skin sensitisation, Category 1 H317  
Germ cell mutagenicity, Category 2 H341  
Carcinogenicity, Category 1B H350  
Specific target organ toxicity — Repeated exposure, Category 2 H373  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H statements : see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS06

GHS08

GHS09

Signal word (CLP) :

Danger

Hazardous ingredients :

reaction products of paraformaldehyde and 2-hydroxypropylamine (ratio 3:2); [formaldehyde released from 3,3'-methylenebis [5-methyloxazolidine]; formaldehyde released from oxazolidin]; [MBO]

Hazard statements (CLP) :

H302+H332 - Harmful if swallowed or if inhaled.  
H311 - Toxic in contact with skin.  
H314 - Causes severe skin burns and eye damage.  
H317 - May cause an allergic skin reaction.  
H341 - Suspected of causing genetic defects.  
H350 - May cause cancer.  
H373 - May cause damage to organs (respiratory system/digestive system) through prolonged or repeated exposure.  
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P284 - Wear respiratory protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER/doctor.

EUH-statements :

EUH071 - Corrosive to the respiratory tract.

Extra phrases :

Read label before use.

## 2.3. Other hazards

Other hazards. :

This substance / mixture contains no components that can be considered as persistent, bioaccumulative and toxic (PBT) or as very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

PBT: not relevant – no registration required

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction products of paraformaldehyde and 2-hydroxypropylamine (ratio 3:2); [formaldehyde released from 3,3'-methylenebis [5-methyloxazolidine]; formaldehyde released from oxazolidin]; [MBO] (Note 8)(Note 9)	(EC Index-No.) 612-290-00-1	90 - 100	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 4 (Inhalation), H332 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Oral), H302 STOT RE 2, H373 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Chronic 2, H411

Note 8 : The classification as a carcinogen need not apply if it can be shown that the maximum theoretical concentration of releasable formaldehyde, irrespective of the source, in the mixture as placed on the market is less than 0,1 %

Note 9 : The classification as a mutagen need not apply if it can be shown that the maximum theoretical concentration of releasable formaldehyde, irrespective of the source, in the mixture as placed on the market is less than 1 %.

Full text of H-statements: see section 16

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Take off immediately all contaminated clothing.
First-aid measures after inhalation	: If you feel unwell, seek medical advice. Allow affected person to breathe fresh air.
First-aid measures after skin contact	: Wash immediately with lots of water (15 minutes)/shower. Remove contaminated clothing immediately. Call a physician immediately.
First-aid measures after eye contact	: Get immediate medical advice/attention. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Give water to drink. Small quantity of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Powder. Foam. Carbon dioxide. Water.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Other information : Exercise caution when fighting any chemical fire.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ventilate area.

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear proper protective equipment.

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

#### 6.4. Reference to other sections

See Heading 8. See Heading 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Good ventilation of the workplace required. Handle and open container with care.

Hygiene measures : Take off immediately all contaminated clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container.

Incompatible materials : Direct sunlight. heat. Freezing.

Maximum storage period : See imprint packing for storage life.

Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Diesel Anti Bacteria (DAB)

##### EU - Occupational Exposure Limits

Notes	Formaldehyde - CAS No. 50-00-00 -. Value VLEP - 0.15 mg / m <sup>3</sup> SER -- Value GWBB - 0.5 mg / m <sup>3</sup> SER
-------	--

#### 8.2. Exposure controls

##### Personal protective equipment:

Safety glasses. Gloves.

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Hand protection:

For prolonged contact (> 480 minutes, layer thickness 0.7mm) use Butyl rubber gloves.

### Skin and body protection:

Use chemically protective clothing

### Respiratory protection:

Ventilate area. In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapour under TLV

### Personal protective equipment symbol(s):



### Other information:

Avoid contact with skin and eyes.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow.
Odour	: Amine-like.
Odour threshold	: No data available
pH	: ca.10, Concentration: 1.50 g/l, 20°C
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: < -35 °C (92/69/EEC, A.1)
Freezing point	: No data available
Boiling point	: 204 °C (92/69/EEC, A.2)
Flash point	: > 100 °C (ISO 2719)
Pour point	: < 15 s, 20°C, DIN 53211
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.049 - 1.069 g/ml (20°C, 92/69/EEC, A.3)
Solubility	: Soluble in water. Water: @ 20°C
Log Pow	: -0.3 (25°C, 92/69/EEC, A.8)
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

No decomposition if used as directed.

### 10.3. Possibility of hazardous reactions

Acids.

### 10.4. Conditions to avoid

No additional information available

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.5. Incompatible materials

Acids.

### 10.6. Hazardous decomposition products

Formaldehyde.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008  
Acute toxicity (dermal) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008  
Acute toxicity (inhalation) : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

#### Diesel Anti Bacteria (DAB)

LD50 oral rat	900 mg/kg (Rat, NOAEL: 72 mg / kg Toxicity (oral) Repeated dose (90 days), OECD Test Guideline 408)
LD50 oral	1207 - 1620
LD50 dermal rabbit	12.5
LC50 inhalation rat (mg/l)	2 mg/l/4h
ATE CLP (vapours)	2 mg/l/4h
ATE CLP (dust,mist)	2 mg/l/4h
Skin corrosion/irritation	: Rabbit, severe skin irritation, concentrate. Rabbit, no skin irritation, solution of 12.5 pH: ca.10, Concentration: 1.50 g/l, 20°C
Serious eye damage/irritation	: Rabbit, danger of serious damage to eyes, concentrate. Rabbit, no eyeirritation, solution of 0.2 pH: ca.10, Concentration: 1.50 g/l, 20°C
Respiratory or skin sensitisation	: Does not cause sensitization on laboratory animals. Guinea pig, OECD 406 test Directive.
Germ cell mutagenicity	: Did not show mutagenic effects in animal experiments
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
STOT-single exposure	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008
STOT-repeated exposure	: May cause damage to organs (respiratory system/digestive system) through prolonged or repeated exposure.
Aspiration hazard	: Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity : Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008  
Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### Diesel Anti Bacteria (DAB)

LC50 fish 1	57.7 mg/l (Brachydanio rerio): 57.7 mg/l
EC50 Daphnia 1	37.9 mg/l (Daphnia Magna)
EC50 other aquatic organisms 1	44 mg/l (OECD 209) (Bacteria)
EC50 72h algae (1)	5.7 mg/l (Desmodesmus subspicatus (green algae))

### 12.2. Persistence and degradability

#### Diesel Anti Bacteria (DAB)

Persistence and degradability	Product is biodegradable.
Chemical oxygen demand (COD)	17.887 mg/g Test substance: 1% solution

### 12.3. Bioaccumulative potential

#### Diesel Anti Bacteria (DAB)

Log Pow	-0.3 (25°C, 92/69/EEC, A.8)
---------	-----------------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Diesel Anti Bacteria (DAB)

PBT: not relevant – no registration required
--

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.6. Other adverse effects

Additional information : Product does not contain any organic halogens.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. This material and its container must be disposed of as hazardous waste.

Additional information : Recycle after cleaning.

European List of Waste (LoW) code : The waste producer itself must, in consultation with the appropriate authorities and a waste disposal company, obtain a waste code from the EWC (European Waste Catalogue)

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 2922	UN 2922	UN 2922	UN 2922	UN 2922
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, TOXIC, N.O.S.	CORROSIVE LIQUID, TOXIC, N.O.S.	Corrosive liquid, toxic, n.o.s.	CORROSIVE LIQUID, TOXIC, N.O.S.	CORROSIVE LIQUID, TOXIC, N.O.S.
<b>Transport document description</b>				
UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (reaction products of paraformaldehyde and 2-hydroxypropylamine (ratio 3:2); [formaldehyde released from 3,3'-methylenebis [5-methyloxazolidine]; formaldehyde released from oxazolidin]; [MBO]), 8 (6.1), II, (E), ENVIRONMENTALLY HAZARDOUS	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (reaction products of paraformaldehyde and 2-hydroxypropylamine (ratio 3:2); [formaldehyde released from 3,3'-methylenebis [5-methyloxazolidine]; formaldehyde released from oxazolidin]; [MBO]), 8 (6.1), II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 2922 Corrosive liquid, toxic, n.o.s. (reaction products of paraformaldehyde and 2-hydroxypropylamine (ratio 3:2); [formaldehyde released from 3,3'-methylenebis [5-methyloxazolidine]; formaldehyde released from oxazolidin]; [MBO]), 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
8 (6.1)	8 (6.1)	8 (6.1)	8 (6.1)	8 (6.1)
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

### 14.6. Special precautions for user

#### Overland transport


Classification code (ADR) : CT1  
Special provisions (ADR) : 274  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001, IBC02  
Mixed packing provisions (ADR) : MP15  
Portable tank and bulk container instructions (ADR) : T7

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special provisions (ADR) : TP2  
Tank code (ADR) : L4BN  
Vehicle for tank carriage : AT  
Transport category (ADR) : 2  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28  
Hazard identification number (Kemler No.) : 86  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2X  
APP code : B

### Transport by sea

Special provisions (IMDG) : 274  
Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC02  
Tank instructions (IMDG) : T7  
Tank special provisions (IMDG) : TP2  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : B  
Stowage and handling (IMDG) : SW2  
Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.

### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y840  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 851  
PCA max net quantity (IATA) : 1L  
CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
Special provisions (IATA) : A3, A803  
ERG code (IATA) : 8P

### Inland waterway transport

Classification code (ADN) : CT1  
Special provisions (ADN) : 274, 802  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E2  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP, TOX, A  
Ventilation (ADN) : VE02  
Number of blue cones/lights (ADN) : 2

### Rail transport

Classification code (RID) : CT1  
Special provisions (RID) : 274  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P001, IBC02  
Mixed packing provisions (RID) : MP15  
Portable tank and bulk container instructions (RID) : T7  
Portable tank and bulk container special provisions (RID) : TP2  
Tank codes for RID tanks (RID) : L4BN  
Transport category (RID) : 2



# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28  
Colis express (express parcels) (RID) : CE6  
Hazard identification number (RID) : 86

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product  
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

### 15.2. Chemical safety assessment

Excluded.

## SECTION 16: Other information

Other information : Abbreviations and acronyms:

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent.

### Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4



# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*